

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@epa.gov]; [Nonresponsive based on revised scope]@westonsolutions.com]; [Nonresponsive based on revised scope]@epa.gov]; [Nonresponsive based on revised scope]

From: [Nonresponsive based on revised scope]O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817- [Nonresponsive based on revised scope]

Sent: Wed 10/3/2018 4:13:50 PM (UTC)
Subject: Case# 47768, SDG# C0AD9 - Validated Data for Shiloh Church Road Site

[47768 C0AD9 ltr.pdf](#)
[47768 C0AD9 DVR.pdf](#)
[47768 C0AD9 SSR.pdf](#)
[EQuls 1 47768 C0AD9 Validated.xls](#)
[EQuls 2 47768 C0AD9 Validated.xls](#)
[EQuls 3 47768 C0AD9 Validated.xls](#)
[EQuls 47768 C0AD9 Validated.xls](#)

Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 47768, SDG# C0AD9. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, [Nonresponsive based on revised scope] by phone at 410-305-2607 or e-mail at [Nonresponsive based on revised scope]@epa.gov if additional assistance is needed.

TO # 0002 TDF # 0818132



[Nonresponsive based on revised scope] Research Technician | 410-305-3013 | [Nonresponsive based on revised scope]@epa.gov

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350